

Spatial data and analysis in R

ESM – internal course series



(Artwork by @allison_horst)

Course plan

Introduction talk

(14:00 – 14:45pm, 22th October 2020)

Self study tutorials

(online self paced, link at end of slides)

All slides and materials online


<https://tinyurl.com/TrainSpatR>

What is GIS?

*A geographic information system (**GIS**) is a system designed to capture, store, manipulate, analyze, manage, and present types of geographical data.*



Types of spatial data



Format:

*.shp, *.gpkg, *.gpx, *.kml, ...

Format:

*.tif, *.vrt, *.hdr, *.asc, ...

Vector

Advantage: Accuracy, more visually pleasing

Disadvantage: Space-inefficient. Every vertex needs to be stored. Algorithms computational intensive.

Raster


Advantage: Geogr. Position associated with data, easier for analysis

Disadvantage: Resolution dependent on cell-size. Lack of attributes, MAUP

Spatial databases



SpatiaLite



PostgreSQL & PostGIS

And many more...

Stop using shapefiles!



Multifile system (.shp, .shx, .dbf, .prj, ...)

Limited to 2GB (4GB)

Attribute names limitation

Etc...

<http://switchfromshapefile.org/>

Solution → OGC Geopackages




Geographic projections

Spatial data requires a projection

Choosing an appropriate geographic projection is important

- Meter or degree based?
- Tradeoff between shape, area or distance distortion
- Aesthetics vs accuracy



Source: <https://xkcd.com/977/>

Why use R for spatial analyses?

- ✓ Open source
- ✓ Efficiency ('Don't repeat yourself')
- ✓ Cross system availability (Win,*Nix, MacO\$)
- ✓ Extendable and rich functionality
- ✓ Clean coding (also for 'tidy' data concept)
- ✓ Parallel computing support
- ✓ Integration of C, C++ code for speed

Many spatial packages



ELSEVIER

Environmental Modelling & Software

Volume 133, November 2020, 104799




Position Paper

Harmonise and integrate heterogeneous areal data with the R package arealDB

Steffen Ehrmann ^{a, d}  , Ralf Seppelt ^{b, c}, Carsten Meyer ^{a, c, d}  

Source: <https://doi.org/10.1016/j.envsoft.2020.104799>



geemap: A Python package for interactive mapping with Google Earth Engine

Qiusheng Wu¹

¹ Department of Geography, University of Tennessee, Knoxville, TN 37996, United States

DOI: [10.21105/joss.02305](https://doi.org/10.21105/joss.02305)

One comprehensive list of spatial packages

<https://cran.r-project.org/web/views/Spatial.html>

Why/When not to use R for spatial analyses?

- ❖ R can be slow
- ❖ Many (sp) packages not memory efficient
- ❖ Often little support
- ❖ No GUI
- ❖ Greater proficiency in other languages

(Personal opinion)

The diversity of open source GIS solutions is both its greatest strength and weakness

The backbone of most open-source GIS

OGGC[®]

Making location count.

Standards like
WMS, KML, GML,
SFC



P R Ø J

GEOS Geometry
Engine
Open
Source

C/C++ libraries

R as a GIS

Main packages: `'sp'`, `'raster'` and `'rgdal'` still go-to functions to use

Problem: Each have their own object-based model, often inefficient code

“**TIDY DATA** is a standard way of mapping the meaning of a dataset to its structure.”

—HADLEY WICKHAM

In tidy data:


- each variable forms a column
- each observation forms a row
- each cell is a single measurement

each column a variable



id	name	color
1	floof	gray
2	max	black
3	cat	orange
4	donut	gray
5	merlin	black
6	panda	calico

each row an observation



Wickham, H. (2014). Tidy Data. Journal of Statistical Software 59 (10). DOI: 10.18637/jss.v059.i10

Artwork by @allison_horst

Tidy data and simple features



Simple Features are a set of OGC standards how spatial (vector) data is to be stored

Source: <https://r-spatial.github.io/sf/articles/sf1.html>

```
## Simple feature collection with 100 features and 6 fields
## geometry type:  MULTIPOLYGON
## dimension:      XY
## bbox:           xmin: -84.32385 ymin: 33.88199 xmax: -75.45698 ymax: 36.58965
## epsg (SRID):   4267
## proj4string:    +proj=longlat +datum=NAD27 +no_defs
## precision:      double (default; no precision model)
```

First 3 features:







##	BIR74	SID74	NWBIR74	BIR79	SID79	NWBIR79	geom
## 1	1091	1	10	1364	0	19	MULTIPOLYGON(((-81.47275543...
## 2	487	0	10	542	3	12	MULTIPOLYGON(((-81.23989105...
## 3	3188	5	208	3616	6	260	MULTIPOLYGON(((-80.45634460...

Simple feature

Simple feature geometry list-column (sfc)

Simple feature geometry (sfg)

Spatial analyses – vector data



Example code in R using `sf`

World %>%

```
st_transform(crs = 54009) %>%
```

```
st_buffer(1000) %>%
```

```
st_intersects(hotspots) %>%
```

```
group_by(hotspot_name) %>%
```

```
summarise(
```

```
  geometry = st_union(geometry),
```

```
  area = st_area(geometry)
```

```
)
```


Spatial analyses – raster data

Examples


- Aggregations, disaggregations
- Region growth, reclassifications
- Band arithmetic (NDVI etc)
- Terrain analyses (Slope, Aspect, Curvature)
- ...

Common spatial tasks I do in R


Aligning raster input data




Extracting zonal statistics



Joining spatial and non-spatial data



Examples: Neutral landscapes



Source:

<https://ropensci.github.io/NLMR/>

Example: Landscape metrics


```
# list all available metrics
list_lsm()
#> # A tibble: 132 x 5
#>   metric name          type          level function_name
#>   <chr> <chr>          <chr> <chr> <chr>
#> 1 area    patch area      area and edge met... patch lsm_p_area
#> 2 cai    core area index core area metric    patch lsm_p_cai
#> 3 circle related circumscribing circle shape metric        patch lsm_p_circle
#> 4 contig contiguity index shape metric        patch lsm_p_contig
#> 5 core    core area       core area metric    patch lsm_p_core
#> 6 enn    euclidean nearest neighbor dis... aggregation metric  patch lsm_p_enn
#> 7 frac   fractal dimension index shape metric        patch lsm_p_frac
#> 8 gyrate radius of gyration area and edge met... patch lsm_p_gyrate
#> 9 ncore  number of core areas core area metric    patch lsm_p_ncore
#> 10 para  perimeter-area ratio shape metric        patch lsm_p_para
#> # ... with 122 more rows
```

Source:

<https://r-spatialecology.github.io/landscapemetrics/>


Making maps in R

Switzerland's regional demographics
Average age in Swiss municipalities, 2015




Map CC-BY-SA; Author: Timo Grossenbacher (@grssnbchr), Geometries: ThemaKart, BFS; Data: BFS, 2016; Relief: swisstopo, 2016

Source: <https://timogrossenbacher.ch/2016/12/beautiful-thematic-maps-with-ggplot2-only/>



Source: <http://riatelab.github.io/cartography>





Source: <https://github.com/tylormorganwall/rayshader>

Spatial statistics


(Not covered in the online course!)

Geographically weighted regressions,
Kriging, Network analyses, Spatial
clustering, Machine learning

...



**A lot of data has
spatial structure!**



What to do if things don't work

Too slow

→ Check memory requirements, consider tiling

No Function

→ Check external tools. Is there a wrapper?

Visualization

→ Use QGIS for quick queries



Free online books and materials

Welcome

This is the online home of *Geocomputation with R*, a book on geographic data analysis, visualization and modeling.


Note: This book has now been published by CRC Press in the [R Series](#). You can buy the book from [CRC Press](#), [Wordery](#), or [Amazon](#).

Inspired by [bookdown](#) and the Free and Open Source Software for Geospatial ([FOSS4G](#)) movement, this book is open source. This ensures its contents are reproducible and publicly accessible for people worldwide.

The online version of the book is hosted at geocompr.robinlovelace.net and kept up-to-date by [GitHub Actions](#), which provides information on its 'build status' as follows:

 Render-Book-from-master passing

This version of the book was built on GH Actions on 2020-10-06.



<https://geocompr.robinlovelace.net/index.html>

Online course materials



Spatial data and analysis in R

Code ▾

[Martin Jung](#)

Ecosystems Services and Management

International Institute for Applied Systems Analysis (IIASA), Laxenburg, Austria

Apart from the [lecture slides](#) this online self-learning course aims to provide you with basic knowledge about spatial datasets in R, how to load and analyse them. In many instances R might not be the fastest tool one can use for these kinds of analyses, but it certainly is the fastest in terms of time spent in code development. Here we will use R as a wrapper to load in external tools. This course assumes that users already have basic knowledge of R.

I generally tried to avoid replicating things that are already openly available online through other resources. Thus, if you are interested in more or other training materials regarding spatial data and analyses in R, check out the resources link at the top with more examples and free self-learning tutorials.



<https://tinyurl.com/TrainSpatR>

Thank you for your attention.

**Good success with your spatial
analyses!**